

Dart Hawkesbury 1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada Tel (613) 632-5200

Purchasing Receipts

PO No	Supplier	Item No	Rel	Terms	Purchased Item	Description	For Part No	Equipment ID	Order Qty	Due Date	Received Quantity	Accounting Job No	Serial No	Status	Receive Date	Price/Unit	Aging Days	Past
20039023	MES002- VC	1	- Pro-	Net 30		304 Bar .250 X .500 : MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE AS PER ASTM A276 OR ASTM A240 NOTE: AISI 303 NOT ACCEPTABLE receive ft			400	2/20/2018	442		S044493	Stock	2/22/2018		0	
								Total:	400		442			-				

Plex 2/22/2018 8:14 AM Dart Dubois Pascal

METAUX SOLUTIONS INC 2625 BOUL JACQUES CARTIER EST LONGUEUIL, QUEBEC

J4N 1L7

Tel.: 450 641-3330

Customer: 6323336

DART AEROSPACE LTD 1270, ABERDEEN STREET HAWKESBURY, ONTARIO K6A 1K7 Shipping Order

19/02/2018

Order

: 132676

Reference Ship

: 39023

: PICK UP / PICK UP

Ship To

Same

Tel.: 1613 632-3336

ship journey collect

jp

		a .
	-EIDS 2-	20-18
Shipping:	Ref. :	2 756
rchandise Received:		

Shipping Order

19/02/2018

METAUX SOLUTIONS INC 2625 BOUL JACQUES CARTIER EST

LONGUEUIL, QUEBEC

J4N 147

Tel.: 450 641-3330

Customer: 6323336

DART AEROSPACE LTD 1270, ABERDEEN STREET HAWKESBURY, ONTARIO K6A 1K7 Order Reference

Ship

: 132676

: 39023

: PICK UP / PICK UP

Ship To

Same

Tel.: 1613632-3336

Description	Qty	Qty. Deliver	B/O Qty
******* FACTURER E-MAIL ******** SUPER IMPORTANT SUR LE PACKING SLIP INSCRIRE LES HEAT N		11.10	
304 STAIN FLA .25" X .500" HR	442	442	0
34 x 13' r/l *********			
HT;67645074			
HT;67736108			
	******* FACTURER E-MAIL ******** SUPER IMPORTANT SUR LE PACKING SLIP INSCRIRE LES HEAT N 304 STAIN FLA .25" X .500" HR 34 x 13' r/l ***********************************	******* FACTURER E-MAIL ******** SUPER IMPORTANT SUR LE PACKING SLIP INSCRIRE LES HEAT N 304 STAIN FLA .25" X .500" HR 442 34 x 13' r/l *********** HT;67645074	******* FACTURER E-MAIL ******** SUPER IMPORTANT SUR LE PACKING SLIP INSCRIRE LES HEAT N 304 STAIN FLA .25" X .500" HR 34 x 13' r/l *********** HT;67645074

ship journey collect

jp

Shipping Package No	:	Ref.	:
Merchandise	Received:		



Dart Aerospace Ltd. 1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada

Tel (613) 632-5200

PURCHASE ORDER PO039023

Supplier:

MES002-VC

Metaux Solutions

2625 boul Jacques-Cartiler Est

Longueuil

QC

J4N 1L7 Canada Phone: 800 558 8858

Fax: 514 633 8044

PO No:

PO039023

PO Date: Due Date: 2/13/18

2/20/18

Purchase Order Revision:

Revision Date:

Ship-To Contact:

Lavoie, ChantalPhone:

clavoie@dartaero.com

Ship To:

1270 Aberdeen Street

Hawkesbury ON

K6A 1K7 Canada

Phone: 613-632-5200

Via:

Ground

Pymt Terms: Freight Terms:

Net 30

Special Comments:

Items

Line Item	Part	Supplier Part No		Status	Due Date	Order Quantity	Received Quantity		Unit Price (CAD)	Extended
1	M304B0.250x0.500		304 Bar .250 X .500 : MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE AS PER ASTM A276 OR ASTM A240 NOTE: AISI 303 NOT ACCEPTABLE receive ft		2/20/18		942°	400 ft		

Order Notes

Procurement Quality Clauses

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A026 certification of material conformance

A041 quality management system

A042 dart notification by supplier

A043 retention of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program

A049 supplier awareness

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 2/13/18 7:21 AM dart.lavoie.chantal



Dart Aerospace Ltd. 1270 Aberdeen St Hawkesbury, ON **K6A 1K7** Canada

PURCHASE ORDER PO039023

Tel (613) 632-5200

Supplier:

MES002-VC

Metaux Solutions

2625 boul Jacques-Cartiler Est

Longueuil QC

J4N 1L7 Canada Phone: 800 558 8858 Fax: 514 633 8044

PO No:

PO Date:

Due Date:

Revision:

Purchase Order

Revision Date: Ship-To Contact:

Via:

Ground

PO039023

Lavoie, ChantalPhone: clavole@dartaero.com

0 ft

2/13/18

2/20/18

Pymt Terms:

Net 30

Freight Terms: Special Comments:

Ship To:

Line

Item

1270 Aberdeen Street Hawkesbury

ON

Part

K6A 1K7 Canada Phone: 613-632-5200

Supplier

Part No

Itoms

Status

Firmed 2/20/18

Due Order Received Date

400 ft

Unit Quantity Quantity Balance Price (CAD)

400 ft

Extended Price

\$4.0521/ft \$1,620.84

M304B0.250x0.500

Description 304 Bar .250 X .500

: MATERIAL: AISI 304/316

SS BAR OR AISI 304/316 SS PLATE AS PER ASTM A276

OR ASTM A240 NOTE: AISI 303 NOT ACCEPTABLE

receive ft

Grand Total: \$1,620.84

Order Notes

Procurement Quality Clauses

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A026 certification of material conformance

A041 quality management system

A042 dart notification by supplier

A043 retention of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program

A049 supplier awareness

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit

Plex 2/13/18 7:21 AM dart.levole.chantel

MATERIAL RECEIPT INSPECTION FORM

MATERIAL:	M304BO.250X0,500	PO/BATCH NO.: 0390123/
DATE:	FEB 2 2 2018	
MATERIAL CERT REC'D:	Ves	THICKNESS ORDERED: 0,250
QUANTITY RECEIVED:	14421	THICKNESS RECEIVED: 0.250
QUANTITY INSPECTED:	4421	SHEET SIZE ORDERED: NIA
QUANTITY REJECTED:	0	SHEET SIZE RECEIVED: N/A

DESCRIPTION	(CI	CR neck /N)	COMMENTS
SURFACE DAMAGE	Y	(N)	
CORRECT FINISH	Y	N	
CORROSION	Y	N	
CORRECT GRAIN DIRECTION	W	N	
CORRECT MATERIAL PER M-DRAWING	(Y)	N	A6+m A276
CORRECT THICKNESS	Y	N	101010
PHOTO REQUIRED	Y	(N)	1
CORRECT REF # TO LINK CERT	(4)	N	Heat # 67645074-67736108
CORRECT MATERIAL IDENTFICATION	R	N	1 670 100 1 - 6 7 706 100
CORRECT M# ON THE MATERIAL	(8)	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	×	3	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	(2)	

CUT SAMPLE PIECE OF	MATERIAL A			SS CHECK.	
TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING	HRC	HRB	DUR A	DUR D	WEBSTER

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
DAS	
INSPECTED BY: 11	SIGNED OFF BY:
DATE: FEB 2 2 2018	DATE:

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

DELEASED 10 2010-11-30

REV. C SCALE SHEET 1 OF 1 09.07.15 05.08.10 DATE 10.11.25 DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DRAWING NO. 304/316 BAR/PLATE
COPPRIOT © 300 BY DATA ERIOSPACE LTD
THE LODGET OF THE PROPERTY OF THE PROPE PH CP MB ADDED PLATE TO PURCHASE MATERIAL ADDED PLATE
ENTINE SPECIFICATIONS, AND 65, CHANGED TITLE
FROM "304316 BAR" TO "304316 BAR"ICATE"
REFORMAT DING, ADD SPECS (ZN D6-1),
REF FAR 09-202A
NEW ISSUE DESCRIPTION M304B 10.11.25 DRAWN
CHECKED
MFG. APPR.
APPROVED
DE APPR.
DATE DESIGN 8 REV.

NTS

SPECIFICATION CONTROL DRAWING

00

٥

PURCHASE MAKERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE (NOTE: AISI 303 NOT ACCEPTABLE)

0

M304BT-TTT X WW.WWW ASTM A276 OR ASTM A240 SPECIFICATION! PART NUMBER:

WHERE "T.TTT" = THICKNESS IN INCHES AND "WW.WWW" = WIDTH IN INCHES

GG. 0.5" x 3.0" BAR = M304B0.500X03.000 EG. 0.5" X 12.0" PLATE = M304B0.500X12.000

U

B

Bollinghaus Steel, SA DIN EN ISO 9001:2008 TÜV CERT No. 01 100 080458 Abnahmeprüfzeugnle/Mill Teet Certificate/Certif. de Qualidade

EN 10204:2004 / 3.1

No.: / Nr.: /Nr.:

0000136628

Unsere inners Verwelsung /Our Int. Ref/ N/ ref int

Datum / Date / Data

5600038278 000010

19.12.2017

Spezifikation / Standards / Normas

TYPE 304/JNS 530400 and TYPE 304L/JUNS 630403 acc. 1e ASTM A278/A278M-16s. ASTM A162/A182M-16s. ASTM A193/A193M-16. ASTM A378/A478M-16s. ASTM A320/A320M-15s. ASTM A314-15, ASTM A282-16 Pract. E, AMS QQ-S-763D, AMS 5639J, AMS 5647K, ASME SA478/BA478M, ASME SA276, ASME SA182/182M, ASME SA 193/SA183M, ASME SA320/SA320M, NACE MR0175-2015, execution as per ASTM A484/A484M-16.

	Kunde	Custom	er / C	ilente				E	ndgül	tiger K	unde / Fl	nal Cu	stomer / (Cliento	Final
Beatell Nr./Order I	Nr.J Enc.N	ir. c11	0766			_		Sentell Nr.	Order	Wr/Enc	Nr.	c110	788 1		
Produktgrupp AISI 304/L FL			p/Gi	1	roduto	1		Sewicht	/ Weig		180		unde / Bu	ndle /	
Werkstoff-Nr. Materiai-no. Qualidade	1.	4307			Werks	toff		bezeichn 2 CrNi 1	ung/f		- 1	grade i	Norma do	-	
Stainless steel fig US DFAR 252,22 Renmation No.	5-7009; N	t rolled, her	RCE: F	ed, straig rance / A	intened MFG: P	i end	d pickle gal.					se quin	nica em %		
67736108	C	0.018	Si	0.525	N	/In	1.184	P	0.02	S	0.025	Cr	18,127	NI	8.045
EAF+AOD	Mo	0.376	Co	0.117	C	u	0.408	N	0.080	TI	0.002	-			,
Proben Nr. Test na. Amostra na.		Kerb im Re	TM E3 schinger pact Ter schingfi	Redi It	Yes.	eld p ele p	mille	Delings 1% po Limite de s	selec	Zugi Tensil	TM A370 estigkeit e strengti de rotura	Di Ele	shrung Ingation	Redu	schnürung tilen et are
		la	harpy v	3	R	p 0,2		Rp 1,			Rm	A5	4D		Z
4038951.01.01		-	[4]		-	-	-11		Kelj		[Ksi]	[%]	[%]		[%]
						48		6			93	53.9	58.4		70.1
Visuelle Kontrolle Visual Inspection Inspecção visual	Ok	Ha	AS Hirts Indinoes ureza	TM E1	0 19:		Ke	ASTM A2	Andig kelt	X	Heal tre: Treteme	ehancium atment nto térmic	-		
Perse dia dimensional		Ora	AST agrésse in size to de gri	M E11:				Abnahm orized inspe	ebeaultra ction Ray	roteniali	Ani		luenched 19 (water quen		050°C)
ferwechskungsprütung Test of Identity Faste de Identificação	erwechskingsprätung Test of Educity Taste de identificação Ok			che Unter graphic te from efects.	wucheng ref	3	Va	sco Ferr						,	
Bemerkung	on / Re	marks / C	bser	vações				14 h		Bollir	ghaus	Steel,	SA .		
untry of origin: Por terial is free of mer	tugal. No	o weld rep	air dos	200			We oc	ALASAN AL MAIL A	it this r	natorial			ben gena leation acc		•

Confirmamos que este material respeits as especificações de acordo com as normas referidas.

Liant for	added and		
ВФ	LUNGHA	US	•
1. 1. 2 18.	Bellinghous Steel, SA DIN EN ISO 9001:2008		
TOV	CERT No. 01 100 0304	58	-

128 K RP.

Professional Section

Abnatimeprüfzeugnis/Mill Test Certificate/Certif. de Qualidade

EN 10204:2004 / 3.1

No.: /;Nr.: /Nr.: 0000127397

But . Taken . . .

Unsere innere Verwalsung /Our int. Ret N/ ref int

Datum / Date / Data

5600034598 000060

11.04.2017

Norman / Standards / Normas

TYPE 30/JUNS 830400 and TYPE 304L/JUNS 830403 acc. to ASTM A276/A276M-18s, ASTM A182/A182M-16s, ASTM A183/A189M-16, ASTM A376/A479M-16s, ASTM A320/A320M-15s, ASTM A314-15, ASTM A262-15 Pract. E, AMS QQ-S-763D, AMS 5639H, AMS 5647J, ASME SA476/SA479M-16s. ASME SA276, ASME SA182/182M, ASME SA 183/SA183M, ASME SA320/SA320M, NACE MR0176-2015, execution as per

	and the same and	Cunde	/ Custom	er / C	liente			E	ndgülti	ger Ku	inde / Fi	nal Cu	stomer /	Cliente				
1					Sed (8)										खनु बहुत			
	Bestell Ny Jorge	i de la constante	Nr. C1	07839			8	iesteli Nr.)	Order Nr.	/ Bnc.N	7.	C107	839 Oi	120	1 .			
1	Production	//Pro	ductiGrou	th (Gi	upo Pro	duto		Sewicht				Bunde / Bundle / Atados						
1	AISI 304/1, FL	AT 1/4	X 1/2"	1h	3				-	16 lb			ande i De	02				
	Werkstoff-Nr Meterial-no. Qualidade	A. L. L. S.	.4307		1	Verkstof	-Norm	Dezelchn 2 CrNI 1	ung / Ma	borlai s	tandard	grade /	Norma do					
t	to get the day of the de place				Bear	hreibu		scriptio		ricio				2.4€.	2			
-	Stainless steel lid US-DFAR 252.22	6ara, 1 5.7009:	MELT SOU	RCE: F	ted, straig rance / M	hlened ar FG: Ports	nd pickk Igal.	ed.					. 14,3	no. 1.5.				
Ŀ	Gest nr. / fuelle mr		Service 1	Cha	mische /	inalyse !	n %/C	hemical	composi	tion in	%/Anail	se quin	nica em %	1	3			
-	(1013 3)11/4)	C	0.023	Si	0.540	Mn	1.069	P	0.028	8	0.022	Cr	18,108	1				
	EAFHAOD	Mo	,Q.418	Co	0.146	Cu	0.426	N	0.100	Ti	0.001	1.	KIN.					
:	But to the same	in a		TM E						AS	TM A370		47.	7, .	-			
:	Probay Nr. That no.	11.5	h	upect Tu toutilize	si	Streek; Yield ; Tensão	point	Dahng 1% p Limits do	olinit	Tonelle	etighett strength da ratura	E 0	elunung on selection	" Redu	Reduction of me: Coef. Estrição			
6.79.11			10	harpy		Rp D	2%	Rp 1.	,0%		lm	AS	40	Coe	. Estrição			
2	4034696,07:07!		2.1	[1]			(iii)		[Ke/]		[Kal]	[%]	131	113	[%]			
	District Street	49.09	1.	41.7		48.	0	56	.7	8	3.1	54.6	57.6	Pic Binschnürung Raduction of ave Coof. Estrição Z [%] 70.5.				
			di	-			-		-				27 12 200					
				-	(624)		- +		-	_			400	-				
	daty to Katrola y hby: taposticy ind progra them	0	0.10 R H	Allerte arciriosa Dutaza	STM E10	190 [HB]	Ke	ASTM A	Eëndigkett 1	Ice E	Heat tra	obend/w stmoot não térmi	9	NI.	2-5			
Di In	ABTM AAB Magalio mingle Impressional Impression springs of Mingos forms	Ol	91	A8 ringitissa rein siza rein de gr		g	0	wality Conti	hverständig ref Prepreser de Gunitie	jer niežive			water que	7	050 °C)			
W	rivechalungsprottung Teal of Interny eath Chilestottongso	DE)	Ma segi	Macro derial fro	lefects.	(A)		Nuno SI										
int	Bemerkun Miry of origin: Pol effel is Thing of mer	tugal. I cury ar	No weld re rd radiatio	nall do	ne. Iminatio		We po	onfirm th	igen wir, entsprich at this mi i standan	dnas d t. ktorini ds.	moots the	iul der i	, SA phen gam fication so positions	cording				

neter .

The way